



Modified PTO 1082

Other Than A Small Entity

Attorney Docket No. UV-44

Applicant(s) : Daniel C. Hagenbuch and Michael D. Ellis

For : INTERACTIVE ELECTRONIC TELEVISION PROGRAM GUIDE WITH DATABASE  
CONFIGURABILITYEXPRESS MAIL CERTIFICATION"Express Mail" mailing label number EI187447446USDate of Deposit April 20, 1998

I hereby certify that this transmittal letter and the other papers and fees identified in this transmittal letter as being transmitted herewith are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on the date indicated above and are addressed to the Hon. Assistant Commissioner for Patents, Washington, D.C. 20231.

Hon. Assistant Commissioner  
for Patents  
Washington, D.C. 20231

TRANSMITTAL LETTER FOR  
ORIGINAL PATENT APPLICATION

Sir:

Transmitted herewith for filing are the ☒ specification; ☒ claims;  
☒ abstract; ☒ declaration; ☒ power of attorney; for the above-identified patent  
application.

Also transmitted herewith are:

☒ Twelve (12) sheets of:☐ Formal drawings.

☒ Informal drawings. Formal drawings will be filed during the  
pendency of this application.


Modified PTO 1082  
For Other Than A Small Entity

Attorney Docket No. UV-44

Applicant(s) : Daniel C. Hagenbuch and Michael D. Ellis

For : INTERACTIVE ELECTRONIC TELEVISION PROGRAM GUIDE WITH DATABASE  
CONFIGURABILITYEXPRESS MAIL CERTIFICATION"Express Mail" mailing label number EI187447446USDate of Deposit April 20, 1998

I hereby certify that this transmittal letter and the other papers and fees identified in this transmittal letter as being transmitted herewith are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on the date indicated above and are addressed to the Hon. Assistant Commissioner for Patents, Washington, D.C. 20231.



Hon. Assistant Commissioner  
for Patents  
Washington, D.C. 20231

TRANSMITTAL LETTER FOR  
ORIGINAL PATENT APPLICATION

Sir:

Transmitted herewith for filing are the ☒ specification; ☒ claims;  
☒ abstract; ☒ declaration; ☒ power of attorney; for the above-identified patent application.

Also transmitted herewith are:

☒ Twelve (12) sheets of:☐ Formal drawings.

☒ Informal drawings. Formal drawings will be filed during the pendency of this application.

☒ An assignment of the invention to PREVUE NETWORKS, INC., a corporation of Delaware

☒ A check in the amount of \$40.00 to cover the recording fee.

☐ Please charge \$40.00 to Deposit Account No. 06-1075 in payment of the recording fee. A duplicate copy of this transmittal letter is transmitted herewith.

☐ An associate power of attorney.

☐ A certified copy of the priority document, \_\_\_\_\_ application, No. \_\_\_\_\_, filed \_\_\_\_\_.


The filing fee has been calculated as shown below:

FOR	NUMBER FILED	NUMBER EXTRA	RATE	FEE
BASIC FEE				\$ 790.00
TOTAL CLAIMS	72 - 20 = 52	x \$ 22	=	\$1144.00
INDEPENDENT CLAIMS	4 - 3 = 1	x \$ 82	=	\$ 82.00
<input type="checkbox"/> A MULTIPLE DEPENDENT CLAIM		+ \$270	=	\$ .00
TOTAL				\$2016.00

☒ A check in the amount of \$2016.00 in payment of the filing fee is transmitted herewith.

☒ The Commissioner is hereby authorized to charge payment of any additional filing fees required under 37 C.F.R. § 1.16 in connection with the paper(s) transmitted herewith, or credit any overpayment of same, to Deposit Account No. 06-1075. A duplicate copy of this transmittal letter is transmitted herewith.

☐ Please charge \$ \_\_\_\_\_ to Deposit Account No. 06-1075 in payment of the filing fee. A duplicate copy of this transmittal letter is transmitted herewith.



G. Victor Treyz  
Registration No. 36,294  
Attorney for Applicant(s)  
Fish & Neave  
1251 Avenue of the Americas  
New York, New York 10020-1104  
Tel.: (212) 596-9000

INTERACTIVE ELECTRONIC TELEVISION PROGRAM GUIDE  
WITH DATABASE CONFIGURABILITY

5 This application claims the benefit of United States provisional application No. 60/063,988, filed November 6, 1997.

Background of the Invention

This invention relates to television systems, and more particularly, to the use of memory in interactive television program guide systems.

10 Cable, satellite, and broadcast television systems provide viewers with a large number of television channels. Viewers have traditionally consulted printed television program schedules to determine the programs being broadcast at a particular  
15 time. More recently, interactive electronic television program guides have been developed that allow television program information to be displayed on a viewer's television.

20 Interactive television program guides, which control user-interface functions, i.e. channel-selection or interactive program inspection, are typically implemented on set-top boxes. Although set-top boxes are often provided to subscribers with only the program guide application installed and a certain  
25 number of pre-determined channels, cable system

operators often would like to have the capability to add more channels to their cable television channel line-up. Cable system operators may also want to install additional applications in the set-top boxes in  
5 their system when such features become available. For example, operators might wish to add application software to the set-top boxes to support a home shopping service, a home banking service, an Internet access service, or some other such service.

10 However, the amount of memory available in a set-top box is limited. Because the amount of memory required by a conventional program guide is fixed, it may not be possible to install new application software in a set-top box if the program guide application has  
15 already been installed. An example of an electronic program guide with a memory size that is fixed is shown in Lazarus U.S. Patent No. 5,652,613. Although it might be possible to reserve the needed memory capacity for the future installation of new applications by  
20 initially using a program guide with a fairly small memory requirement, such a reduced-size program guide would generally not be able to provide the same level of functionality as a full-sized program guide.

It is therefore an object of the present  
25 invention to provide a system in which the memory requirements of a program guide may be adjusted when it is desired to install additional applications.

It is a further object of the present invention to provide a system in which the memory  
30 requirements of a program guide may be adjusted to accommodate the addition of new channels to the existing channel line-up.

Summary of the Invention

These and other objects of the invention are accomplished in accordance with the principles of the present invention by providing an interactive

5 electronic television program guide system in which a set-top box or comparable user television equipment on which a program guide is implemented has a configurable database of program guide data. A set-top box or comparable user television equipment stores various  
10 categories of television program guide data in the configurable database and maintains a database configuration record. The database configuration record allocates memory usage among the categories of program guide data.

15 The database configuration record may be based on a look-up table arrangement that contains information on the preferred memory allocation to be used when various amounts of memory are available. If it is desired to change the amount of memory used by  
20 the program guide due to the installation of new applications, the database configuration record may be used by the program guide to reallocate the memory in the set-top box.

The database configuration record may be  
25 provided to the set-top box using a number of different techniques. For example, the database configuration record may be provided from the same source used to provide the program guide data. If desired, the database configuration record may be provided at the  
30 cable system headend. The record may be addressed to all set-top boxes controlled by a particular cable system operator, all set-top boxes in a given cable system, an individual set-top box, or other suitable grouping.

An aspect of the invention relates to the use of various levels of data storage. For each level of storage, the database configuration record may specify a desired number of hours of television program listings data to store for each category of programming, as well as a desired number of hours of descriptions. There may be a default database configuration record for each version of the program guide, for each specific type of set-top box hardware, and for each memory configuration corresponding to a specific type of set-top box hardware.

The television program guide data preferably may be divided into categories such as pay-per-view special events, pay-per-view movies, programming on premium channels, all other movies, all other sporting events, and all other series. Each data storage level specifies how the program guide is to allocate individual portions of memory for the listings and descriptions corresponding to different categories of programming.

For example, a first level (level one) in the database configuration record might indicate that the program guide should store 30 days of program listings data and program descriptions data for pay-per-view events, seven days of program listings data and five days of program descriptions data for pay-per-view movies, seven days of program listings data and 12 hours of program descriptions data for programming on premium channels, etc. For level two, which requires that less memory be used by the program guide database, the database configuration record may decrease the amount of program listings data and program descriptions data that is to be retained by the program guide for certain categories.

In response to the introduction of a new application to the set-top box, a new database configuration record may be required. When a new database configuration record is received by the set-top box, it informs the program guide how it may use to store the program guide data. The program guide then purges any programming data that is not within its storage levels as specified by the new database configuration record. New incoming television programming data is also controlled by the data storage level. When the program guide receives new programming data, the program guide checks the current level of the database configuration record. If the new data fits in memory using the current definition of the data storage level in the database configuration record, i.e., information about listings and descriptions of pay-per-view events within 30 days as described above for level one, the program guide stores the data. If the data extends beyond that definition, e.g., the data contains information about listings and descriptions of pay-per-view events that are 32 days into the future, the extra data will be discarded.

When the program guide determines that, for the present storage level, sufficient memory no longer exists (e.g., because new channels were added to the cable television line-up or a new non-program-guide application was added to the set-top box memory), the program guide deletes all unnecessary data and changes to a program listings level and a program descriptions level that requires less memory and provides less programming data. The program guide can become aware of this shortage of memory in two different ways: 1) the installation of new channels in the line-up may alert the program guide that its available memory has



been reduced or 2) as mentioned above, a new database configuration record may be sent from the cable operator to the program guide to inform the program guide of a new application that will be installed in the memory.

When the program guide determines that additional memory is available, for example due to the removal of an application from the set-top box or the removal of channels from the television channel line-up, the program guide changes to a program listings level and a program descriptions level which uses more memory for the program guide database and can therefore provide more complete programming information to the user of the program guide.

The database configuration record may also be used to specify a default startup level. The default startup level ensures that whenever the set-top box is turned on after a power interruption, the program guide starts at a lower level of storage and gradually increases to the predetermined maximum program listings level and maximum program descriptions level for the program guide.

The database configuration record may be stored in nonvolatile memory in the set-top box, so that the program guide continues to allocate memory properly after a power loss. Data such as program listings data and program descriptions data may be stored in volatile memory and reacquired after a power loss.

Further features of the invention, its nature and various advantages will be more apparent from the accompanying drawings and the following detailed description of the preferred embodiments.

Brief Description of the Drawings

FIG. 1 is a schematic diagram of a known interactive television program guide system.

FIG. 2 is a schematic diagram of a known interactive television program guide system according to the present invention.

FIG. 3 is a schematic diagram of a system in accordance with the present invention.

FIG. 4 is a schematic diagram of illustrative user equipment in accordance with the present invention.

FIG. 5 is a schematic diagram showing two illustrative types of user equipment in accordance with the present invention.

FIG. 6 is a schematic diagram of an illustrative set-top box arrangement in accordance with the present invention.

FIG. 7 is a schematic diagram of an illustrative memory arrangement for a set-top box in accordance with the present invention.

FIG. 8 is a table showing illustrative program listings levels in accordance with the present invention.

FIG. 9 is a table showing illustrative program descriptions levels in accordance with the present invention.

FIG. 10 is a schematic diagram of an illustrative database configuration record in accordance with the present invention.

FIG. 11 is a flow chart showing steps involved in introducing a new application to a set-top box in accordance with the present invention.

0906333-042090

FIG. 12 is a flow chart showing steps involved in reconfiguring the memory in accordance with the present invention.

Detailed Description of the Preferred Embodiments

5           In known television program guide applications, the amount of memory reserved for program guide data is fixed. An example of such a system is shown in FIG. 1. In FIG. 2, an interactive television program guide application having a variable amount of  
10 memory for program guide data according to the principles of invention is shown at step 2. The variability of the amount of memory permits the interactive television program guide to accommodate new applications (or new channel data, see FIG. 12) as  
15 necessary. Step 4 illustrates an example of the interactive television program guide adjusting to accommodate a new application. Step 6 shows the interactive television program guide allocating a reduced amount of memory for program guide data while  
20 simultaneously allocating a portion of the memory for a new application.

          An illustrative arrangement for an interactive electronic television program guide system 10 in accordance with the present invention is  
25 shown in FIG. 3. Main facility 12 provides data from data source 14 to distribution facility 16 via communications link 18. Link 18 may be a satellite link, a telephone network link, a cable or fiber optic link, a microwave link, a combination of such links, or  
30 any other suitable communications path. If it is desired to transmit video signals over link 18 in addition to data signals, a relatively high bandwidth link such as a satellite link may generally be

preferred to a relatively low bandwidth link such as a  
telephone line. Distribution facility 16 may be a  
cable system headend, a broadcast distribution  
facility, or a satellite television distribution  
5 facility.

The program guide data transmitted by main  
facility 12 to distribution facility 16 includes  
television program listings data (e.g., program times,  
channels, titles), program descriptions data and data  
10 for other program guide services, and may include data  
for additional services. If desired, some data may be  
provided using data sources at facilities other than  
main facility 12.

Distribution facility 16 distributes the  
15 program guide data and data for other services to  
multiple users via communications paths 20. Each user  
has user equipment 22 for displaying television  
programs, television program listings, program  
descriptions, and information for other services using  
20 an interactive television program guide. Many features  
of the interactive television program guide are  
provided by executing instructions with a  
microprocessor or similar control circuitry 54 (FIG. 6)  
within user equipment 22. Communications paths 20  
25 preferably have sufficient bandwidth to allow  
distribution facility 16 to distribute television  
programming and other video information to user  
equipment 22. Television programming and video  
information may also be distributed by distribution  
30 facility 16 over communications paths separate from  
communications paths 20.

Certain program guide functions may require  
user equipment 22 to transmit data to distribution  
facility 16 over communications paths 20 (e.g., with a

cable modem, telephone modem, or other suitable return link). If desired, return data may be transmitted over separate communications paths (not shown).

An illustrative arrangement for user  
5 equipment 22 is shown in FIG. 4. The program guide may be implemented on set-top box 28. The program guide coordinates the display of television programs and television program listings information on television  
36. If desired, user television equipment 22 may  
10 include a videocassette recorder controlled by the program guide on set-top box 28 for recording selected programs.

Periodically, user equipment 22 of FIG. 4 receives television programming, video information,  
15 television program listings information, and other data from television distribution facility 16 of FIG. 3 (or from a separate data stream) at input 26. Information from the user may be transmitted to distribution facility 16 of FIG. 3 via output 27. During normal  
20 television viewing, the user tunes set-top box 28 to a desired television channel. Remote control 40 or some other suitable user input device such as a mouse, infrared keyboard, touch pad, voice recognition system, etc. may be used for interacting with the program guide  
25 and controlling set-top box 28 and television 36.

The television program guide implemented on set-top box 28 may be downloaded from television distribution facility 16 via communications paths 20. If desired, different versions of the program guide  
30 (shown as interactive television program guide application 60 in FIG. 7) may be transmitted to individually addressable set-top boxes, such as set-top boxes of different types, 23 and 24 of FIG. 5.

The circuitry of set-top box 28 of FIG. 4 is shown in more detail in FIG. 6. As shown in FIG. 6, set-top box 28 contains memory 50 for data storage and control circuitry 54 (which is preferably  
5 microprocessor-based) for performing the various program guide and other set-top box functions. These functions include responding to user instructions sent via remote control 40 (FIG. 4) and responding to instructions sent by distribution facility 16 (FIG. 3)  
10 (e.g., when a new channel line-up is sent by distribution facility 16).

FIG. 5 shows an illustrative configuration of memory 50 in set-top box 28. Memory 50 contains program guide application 60, which includes a database  
15 configuration record 62 for allocating television program guide data 67 for various categories of listings information, such as television programming data 68 for category A of programming and television programming data 69 for category B of programming.  
20 Categories A and B and other such categories include special events, pay-per-view movies, sporting events, non-pay-per-view movies, or regular programs.

Additional applications 61 (e.g., an Internet browser, a shopping application, etc.) may also be  
25 contained in memory if desired. Database configuration record 62 is preferably stored in nonvolatile memory (e.g., rewritable flash memory) as indicated by dotted line 63. This ensures that program guide 60 allocates memory properly after a power loss, because memory  
30 allocation information in the nonvolatile database configuration record 62 will not be lost. Television program guide data 67 may be stored in volatile memory (e.g., random access memory), as indicated by dotted line 65. Television program guide data 67 may be

reacquired after a power loss, because television program guide data 67 is periodically transmitted to set-top box 28 from television distribution facility 16 (FIG. 3).

5 Database configuration record 62 uses program listings look-up table 64 and program descriptions look-up table 66 as guides when allocating memory between different types of television program guide data 67. When it is desired to download a new version  
10 of the database configuration record 62 to set-top boxes 28, e.g., to make more memory available to accommodate a new application, program guide 60 preferably accesses the newly introduced database configuration record 62 to determine which of the  
15 program listings levels 86 of program listings look-up table 80 of FIG. 6 and program descriptions levels 96 of program descriptions look-up table 90 of FIG. 7 coincides with the amount of memory it is desired to use for the program guide application (which relates  
20 directly to the amount of memory that will be made available for the new application).

However, when the configuration of the memory is changed, i.e., new channels are introduced into the cable television line-up or the descriptions of  
25 programming are modified (e.g., to change the size of individual descriptions, or to include pictures as part of the descriptions), a new database configuration record is preferably not required (see FIG. 12). Rather, program guide data for a new memory  
30 configuration is transmitted to the program guide without a new database configuration record, as shown in box 202. The program guide receives the program guide data for the new memory configuration, as shown in box 204. Thereafter, as shown in box 206, the

program guide reconfigures the database by checking the database configuration record for the levels corresponding to the new memory configuration and calculates the program listings level 86 and program descriptions level 96 accordingly to accommodate the new memory configuration.

Program listings table 80 of FIG. 8 and program descriptions table 90 of FIG. 9 show how much data is stored in memory for each category of data and for each level of memory usage. The program guide memory allocation scheme that uses the most memory for the program guide application corresponds to level zero. The program guide memory allocation scheme that uses the least memory for the program guide application corresponds to level 14. At the highest level of program guide memory usage (level zero), listings and descriptions data for special events is available for 30 days into the future. Data for pay-per-view movies, sporting events, non-pay-per-view movies, and regular programs is available for 7 days into the future. The 30 day entry in the level zero "any program" category in table 80 of FIG. 6 and table 90 of FIG. 7 indicates that any program that is more than thirty days into the future should be discarded. The highest level of program guide memory usage is suitable for arrangements in which the program guide application is the only application loaded into set-top boxes 28 and a minimum number of channels is being supported.

Whenever it is desired to remove an application other than program guide application 60 from set-top box 28 (FIG. 4), program guide application 60 may not require a new database configuration record 62. If, however, the increase in memory availability is substantial, a new database



configuration record 62 may be sent from television distribution facility 16 (FIG. 3) to establish a higher level of memory usage for listings and descriptions data. This allows the user access to more program listings and descriptions information when using program guide 60.

Whenever it is desired to add an application to set-top boxes 28, database configuration record 62 may be reconfigured at television distribution facility 16 (FIG. 3) and retransmitted to set-top boxes 28. Program listings level 86 may then be changed to establish a lower level of memory usage for program guide application 60. Similarly, program descriptions level 96 may then be changed to establish a lower level of memory usage for program guide application 60. This reduces the memory required by program guide application 60 for storing program listings and program descriptions in its database, thereby making more memory available for non-guide applications.

If desired, database configuration record 62 may specify a default startup level X for program listings 70 and a default startup level Y for program descriptions 72, as shown in FIG. 10 and as indicated by arrows next to the tables of FIGS. 8 and 9. Default startup levels 70 and 72 ensure that when memory 50 in set-top box 28 is initially used to store program guide application 60, the memory is not fragmented by over-allocation of memory followed by truncation to fit a more restrictive storage level. Using default startup levels 70 and 72, data collection may start at a level that requires a relatively small amount of memory. An illustrative set of default startup levels for a system with an available storage capacity of 750 kilobytes is level zero in FIG. 8 for program listings and level six

for descriptions in FIG. 9 for program descriptions, as indicated by the arrows 82 and 92 in FIGS. 8 and 9, respectively.

Once the startup routine has been  
5 successfully completed, program guide application 60 uses the maximum level of memory allocated to it by database configuration record 62. This memory allocation occurs as new listings and descriptions data is gradually introduced into memory. The initial  
10 reduced- allocation approach distributes memory more efficiently on startup of the program guide than allowing program guide application 60 to randomly choose levels on startup or to choose the highest levels available.

15 One suitable approach for adjusting the memory configuration of set-top boxes 28 by changing the amount of memory used by program guide application 60 is illustrated in the flow chart in FIG. 11. The flow chart of FIG. 11 shows how memory can be  
20 reallocated to accommodate a new application in set-top box 28 such as a shopping application or an Internet browser application. Because the new application must use some of the limited memory available in set-top box 28, the size of the new application affects the  
25 memory that is available in set-top box 28 for program guide application 60. Once the amount of memory needed to run the new application is determined at step 102, a suitable program running at television distribution facility 16 (FIG. 3) is used to determine the amount of  
30 memory that will be available for program guide data 67 in set-top box 28 after the new application is installed (step 104). At step 106, the suitable program uses program listings look-up table 80 and

program descriptions look-up table 90 to calculate a  
suitable new program listings level and new program  
description level to accommodate the new application.  
The suitable program then changes either the program  
5 listings level or the program descriptions level (or  
both) (step 106). This step 106 may require a new  
database configuration record 62. The new database  
configuration record is preferably downloaded first, to  
structure the memory of the program guide 60. The new  
10 application may then be downloaded from television  
distribution facility 16 into set-top boxes 28 at step  
108.

One skilled in the art will appreciate that  
the present invention can be practiced by other than  
the described embodiments, which are presented for  
purposes of illustration and not of limitation, and the  
present invention is limited only by the claims which  
follow.

1. An interactive television program guide system in which an interactive television program guide is implemented on user television equipment, comprising:

means for receiving information on the amount of memory for the interactive television program guide to use to store the program guide data; and

2. The interactive television program guide system defined in claim 1, wherein different categories of program guide data are stored in the memory, the interactive television program guide system further comprising means for reallocating the memory among the different categories of program guide data when the amount of memory used to store the program guide data is adjusted.

4. The interactive television program guide system defined in claim 3 further comprising a television distribution facility for providing the program guide data to the interactive television

5 program guide implemented on the user television  
equipment.

5 5. The interactive television program guide  
system defined in claim 4 wherein the television  
distribution facility further comprises means for  
determining the memory requirements of a new non-  
5 program-guide application.

5 6. The interactive television program guide  
system defined in claim 5 further comprising means for  
determining the amount of the memory that will be  
available to the interactive television program guide  
5 after the new non-program-guide application has been  
installed on the user television equipment.

5 7. The interactive television program guide  
system defined in claim 6 further comprising means for  
establishing how much of the program guide data the  
interactive television program guide should retain for  
5 each of the different categories of program guide data  
to accommodate the new non-program-guide application.

5 8. The interactive television program guide  
system defined in claim 7 further comprising means for  
downloading a new version of the database configuration  
record from the television distribution facility to the  
5 user television equipment.

5 9. The interactive television program guide  
system defined in claim 8 further comprising means for  
downloading the new non-program-guide application from  
the television distribution facility to the user  
5 television equipment.

10. The interactive television program guide system defined in claim 3 further comprising means for allocating the memory based on a plurality of storage levels contained in the database configuration record.

11. The interactive television program guide system defined in claim 10 wherein each storage level specifies how much data is to be retained by the interactive television program guide in a plurality of programming categories.

12. The interactive television program guide system defined in claim 11 further comprising means for using one of the programming categories as a filter to discard any program guide data that concerns programs more than a certain number of days into the future.

13. The interactive electronic television program guide system defined in claim 3 further comprising means for distributing the database configuration record to the user television equipment from a television distribution facility accompanied by the program guide data.

14. The interactive television program guide system defined in claim 13 wherein the program guide data is transmitted from a television distribution facility to the user television equipment in a data stream, the interactive television program guide system further comprising means for downloading the interactive television program guide to the user television equipment in a data stream separate from the

data stream used for transmitting the program guide  
10 data.

15. The interactive television program guide system defined in claim 13 further comprising means for inputting the database configuration record at a cable system headend.

16. The interactive television program guide system defined in claim 3 wherein the memory comprises a nonvolatile memory portion and a volatile memory portion.

17. The interactive television program guide defined in claim 16 further comprising means for storing the database configuration record in the nonvolatile memory portion and storing the program  
5 guide data in the volatile memory portion.

18. The interactive television program guide system defined in claim 3 further comprising means for including at least one default startup level in the database configuration record.

19. The interactive television program guide system defined in claim 1 wherein the program guide data stored in the memory corresponds to a given television channel line-up and wherein the means for  
5 adjusting further comprises means for allocating the memory among the different categories of program guide data when the amount of stored program guide data is adjusted in response to an addition of new channels to the given television channel line-up.

20. The interactive television program guide system defined in claim 1 wherein the means for adjusting further comprises means for adjusting the amount of memory used to store the program guide data to accommodate installation of a new application in the user television equipment.

21. The interactive television program guide system defined in claim 1, wherein the program guide data stored in the memory corresponds to a given television channel line-up the interactive television program guide system further comprising means for determining an amount of memory available for each of the different categories of program guide data after the addition of new channels, wherein the means for adjusting the memory adjusts based on the amounts of memory that are determined to be available.

22. The interactive television program guide system defined in claim 1 wherein the program guide data stored in the memory corresponds to a given television channel line-up, the interactive television program guide system further comprising means for detecting a change in the amount of channels offered in the television channel line-up.

23. An interactive television program guide system in which an interactive television program guide is implemented on user television equipment, comprising:

memory in the user television equipment in which program guide data for a given memory configuration is stored for use by the interactive television program guide;







35. The interactive television program guide system defined in claim 34 wherein each storage level specifies how much data is to be retained by the interactive television program guide in a plurality of programming categories.

36. The interactive television program guide system defined in claim 35 further comprising means for using one of the programming categories as a filter to discard any program guide data that concerns programs more than a certain number of days into the future.

37. A memory adjustment method for use in an interactive television program guide system in which an interactive television program guide is implemented on user television equipment that has memory, comprising:

- storing program guide data in the memory for use by the interactive television program guide;
- receiving information on the amount of memory available for the interactive television program guide to use to store the program guide data; and
- adjusting the amount of memory used for storing the program guide data in response to the received information.

38. The method defined in claim 37 further comprising reallocating the memory among different categories of program guide data.

39. The method defined in claim 38 further comprising reallocating the memory based on information in a database configuration record.



46. The method defined in claim 45 further comprising allocating the memory based on a plurality of storage levels contained in the database configuration record.

47. The method defined in claim 46 wherein allocating the memory based on the storage levels further comprises specifying how much data is to be retained by the interactive television program guide in a plurality of programming categories.

48. The method defined in claim 47 further comprising using one of the programming categories as a filter to discard any program guide data that concerns programs more than a certain number of days into the future.

49. The method defined in claim 39 further comprising distributing the database configuration record to the user television equipment from a television distribution facility accompanied by the program guide data.

50. The method defined in claim 49 further comprising:

transmitting the program guide data from a television distribution facility to the user television equipment in a data stream; and

downloading the interactive television program guide to the user television equipment in a data stream separate from the data stream used for transmitting the program guide data.

51. The method defined in claim 49 further comprising inputting the database configuration record at a cable system headend.

52. The method defined in claim 39 further comprising using memory that includes a nonvolatile memory portion and a volatile memory portion.

53. The method defined in claim 52 further comprising storing the database configuration record in the nonvolatile memory portion and storing the program guide data in the volatile memory portion.

54. The method defined in claim 39 further comprising including at least one default startup level in the database configuration record.

55. The method defined in claim 37 further comprising detecting the addition of at least one new channel to a given television channel line-up and allocating the memory among the different categories of program guide data when the amount of memory used for stored program guide data is adjusted in response to an addition of at least one new channel to the given television channel line-up.

56. The method defined in claim 37 wherein the adjusting further comprises adjusting the memory to accommodate installation of a new application in the user television equipment.

57. The method defined in claim 37 further comprises determining an amount of memory available for each of the different categories of program guide data

after the addition of new channels, wherein the  
5 adjusting the memory adjusts based on the amounts of  
memory that are determined to be available.

58. The method defined in claim 37 further  
comprising detecting the addition of new channels to  
the given television channel line-up.

59. A memory reconfiguration method for use  
in an interactive television program guide system in  
which an interactive television program guide is  
implemented on user television equipment that has  
5 memory in which program data for a given memory  
configuration is stored, comprising:  
receiving program guide data for a new  
memory configuration; and  
reconfiguring the memory to accommodate  
10 the program guide data for the new memory  
configuration.

60. The method defined in claim 59 wherein  
the given memory configuration further comprises a  
given channel line-up.

61. The method defined in claim 60 wherein  
reconfiguring the memory configuration further  
comprises reconfiguring the memory configuration for a  
new channel line-up.

62. The method defined in claim 59 wherein  
the given memory configuration further comprises given  
programming descriptions.





television distribution facility to the user television equipment.

70. The method defined in claim 65 further comprising allocating the memory based on a plurality of storage levels contained in the database configuration record.

71. The method defined in claim 70 specifying wherein each storage level specifies how much data is to be retained by the interactive television program guide in a plurality of programming categories.

72. The method defined in claim 71 further comprising using one of the programming categories as a filter to discard any program guide data that concerns programs more than a certain number of days into the future.

Abstract of the Invention

253743 "EE9060

5       An interactive television program guide  
system is provided in which an interactive television  
program guide is implemented on user television  
equipment containing a memory. The system allocates  
the memory among different categories of program guide  
data used by the program guide. When new channels are  
added to the channel line-up, the program guide adjusts  
10 its memory allocation accordingly. When it is desired  
to install a new non-program-guide application on the  
user television equipment in addition to the program  
guide, memory can be reallocated to accommodate the new  
application.

DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am an original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

INTERACTIVE ELECTRONIC TELEVISION PROGRAM GUIDE  
WITH DATABASE CONFIGURABILITY

the specification of which

☒ [X] is attached hereto

☐ [ ] was filed on \_\_\_\_\_ as  
Application Serial No. \_\_\_\_\_.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims.

I do not know and do not believe that the invention was ever patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to this application.

I do not know and do not believe that the invention was in public use or on sale in the United States of America more than one year prior to this application.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known by me to be material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

930240-00000000

Priority  
Claimed

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known by me to be material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

As a named inventor, I hereby appoint the following attorneys or agents to prosecute this application and transact all business in the United States Patent and Trademark Office connected therewith:


Joseph M. Guiliano, Reg. No. 36,539

Direct telephone calls to: G. Victor Treyz  
(212) 596-9000

Full name of first inventor Michael D. Ellis

Residence 1300 Kingwood Place, Boulder, Colorado 80304  
Citizenship United States  
Post Office Address 1300 Kingwood Place, Boulder,  
Colorado 80304

Full name of second inventor Daniel C. Hagenbuch

Second Inventor's signature  4/14/98  
Date

Residence 1208 Old Jordan Road, Holland, Pennsylvania  
18966  
 Citizenship United States  
 Post Office Address 1208 Old Jordan Road, Holland,  
Pennsylvania 18966





FIG. 2

INTERACTIVE  
TELEVISION  
PROGRAM  
GUIDE  
APPLICATION






FIG. 3







FIG. 4



FIG. 6






FIG. 7

80

84

82→

	Any Program	Special Events	PPV Movies	Sporting Events	Non-PPV Movies	Regular Programs
Level 0	30 days	30 days	7 days	7 days	7 days	7 days
Level 1	30 days	30 days	7 days	7 days	7 days	6 days
Level 2	30 days	30 days	7 days	7 days	7 days	5 days
Level 3	30 days	30 days	7 days	7 days	7 days	4 days
Level 4	30 days	30 days	7 days	7 days	7 days	3 days
Level 5	30 days	30 days	7 days	7 days	7 days	2 days
Level 6	30 days	30 days	7 days	7 days	7 days	1 day
Level 7	30 days	30 days	6 days	6 days	6 days	1 day
Level 8	30 days	30 days	5 days	5 days	5 days	1 day
Level 9	30 days	30 days	4 days	4 days	4 days	1 day
Level 10	30 days	30 days	3 days	3 days	3 days	1 day
Level 11	30 days	30 days	2 days	2 days	2 days	1 day
Level 12	30 days	30 days	1 day	1 day	1 day	1 day
Level 13	7 days	7 days	1 day	1 day	1 day	1 day
Level 14	1 day	1 day	1 day	1 day	1 day	1 day

86 ↗

FIG. 8

90

94

	Any Program	Special Events	PPV Movies	Sporting Events	Non-PPV Movies	Regular Programs
<b>Level 0</b>	30 days	30 days	7 days	7 days	7 days	7 days
<b>Level 1</b>	30 days	30 days	7 days	7 days	7 days	6 days
<b>Level 2</b>	30 days	30 days	7 days	7 days	7 days	5 days
<b>Level 3</b>	30 days	30 days	7 days	7 days	7 days	4 days
<b>Level 4</b>	30 days	30 days	7 days	7 days	7 days	3 days
<b>Level 5</b>	30 days	30 days	7 days	7 days	7 days	2 days
<b>92 → Level 6</b>	30 days	30 days	7 days	7 days	7 days	1 day
<b>Level 7</b>	30 days	30 days	6 days	6 days	6 days	1 day
<b>Level 8</b>	30 days	30 days	5 days	5 days	5 days	1 day
<b>Level 9</b>	30 days	30 days	4 days	4 days	4 days	1 day
<b>Level 10</b>	30 days	30 days	3 days	3 days	3 days	1 day
<b>Level 11</b>	30 days	30 days	2 days	2 days	2 days	1 day
<b>Level 12</b>	30 days	30 days	1 day	1 day	1 day	1 day
<b>Level 13</b>	7 days	7 days	1 day	1 day	1 day	1 day
<b>Level 14</b>	1 day	1 day	1 day	1 day	1 day	1 day

96

FIG. 9




FIG. 10

FIG. 11

UV-44






FIG. 12